Page 1 of 6

Section 1. Identification

Product Name	Dehydration
Chemical Name	N/A
Product Use	Nails
Manufacture	Shizhiyu (Guangzhou) Biotechnology Co., Ltd.
Address	Room 1303, Longhui Building, No. 5 Longkou East Road, Tianhe District, Guangzhou, Guangdong, 510000 China
Information Contacts	+86-18122356510
Emergency Phone Nunbers	+86-18122356510

Section 2. Composition / information on ingredients

Components	CAS #	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSH A	Content %
Ethanol	64-17-5	200-578-6	ethyl alcohol	N/E	N/E	Not listed	75-80%
Polyurathane Acrylate	N/A	N/A	N/A	N/E	N/E	Not listed	20-25%

N/E - None Established N/R - Not Reviewed N/DA - No Data Available N/A - Not Applicable

Page 2 of 6

Section 3. Hazards Identification

WARNING

This information may be based on findings from related or similar materials.

HARMFUL IF SWALLOWED, ABSORBED THROUGH SKIN OR INHALED. DO NOT SPRAY. DO NOTHEAT.

MAY CAUSE ALLERGIC SKIN REACTION. CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION

Physical state: viscous liquid HEALTH: 1* Color: Various colors

Odor: Ester-like odor PHYSICAL HAZARD: 1 Personal Protection: See Section 8

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Skin Contact: Contact skin will cause irritation.

Eye Contact: Contact with eyes will cause irritation.

Section 4. First Aid Measures

Inhalation	Remove to fresh air. If symptoms develop and persist, get medical attention.
Skin Contact	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms occur.
Eye Contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Ingestion	Do not induce vomiting. Keep individual calm. Get medical attention immediately.

Section 5. Fire-fighting Measures

Flash point: >100°C/212°F

Auto ignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes.

Page 3 of 6

Section 6. Accidental Release Measures

Clean-up Methods: Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

Environmental Protection: Prevent diffusion, Prevent entry into the sewage system or open waters.

Section 7. Handling and Storage

Handing: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

Storage : For safe storage, store at or below30°C (86°F). Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials. Keep this materials away from heat, sparks, and open flame. Keep containers tightly closed when not in use.

Incompatible products: Refer to Section 10.

Section 8. Exposure Controls / Personal Protection

Engineering Controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory Protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin Protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/Face Protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

Section 9. Physical and Chemical Properties

Appearance	color	Odor	Odor Threshold	РН	Melting point/freezing point
Viscous liquid	Transparent	Ester-like	N/A	N/A (Insoluble)	N/A
Boiling Point	Flash point	Evaporation rate	Flammability (solid, gas)	Upper/lower flammability or explosive limits;	Vapour pressure
N/A	>100℃	N/A	N/A	N/A	< 1 mmHg @20°C

Page 4 of 6

Vapour density	Solubility In Water	Relative density	Solubility(ies)	Partition coefficient: n-octanol/water;	Auto-ignition temperature
N/A	Insoluble	(H ₂ O=1): 0.8-1.1	Insoluble in the following materials: cold water and hot water	N/A	N/A
Decomposition Temperature Viscosity		Explosive properties		Oxidising properties	
N/A 1500~2000mpa.s @30°C		-	N/A		N/A
Flash Point		Flammable Limit (vol %)		Auto-ignition Temperature	
>100°C/212°F		N/DA		N/DA	

Section 10. Stability and Reactivity

Stability: Stable under normal conditions of storage and use

Conditions to Avoid : Storage> $100^{\circ}F/38^{\circ}C$, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.

Hazardous Polymerization: May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

Incompatibility: Peroxides, oxidizing a gents.

Hazardous Decomposition Products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

Section 11. Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity		Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye		
No info available	No info available		No info available	No info available	No info available		
Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.							
Sensitization Mutagenicity				Sub-chronic	Toxicity		
N/DA		N/DA	N/D	A			

Page 5 of 6

Section12. Ecological Information

Ecotoxicological Information							
Acute Toxicity to Fish	Acu	te Toxicity to	Acute Toxicity to	Bioconcentration	Toxicity to Sewage		
No Information	No Information Available No Information No Information No Inform			No Information Available			
Chemical Fate Information							
Biodegradability	Biodegradability No Information Available						
Chemical Oxygen Dema	Chemical Oxygen Demand No Information Available						
To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated. Do not							
allow to enter drinking water supplies, wastewater, or soil.							

Section 13. Disposal Considerations

Recommended Method of Disposal: Disposal should be in accordance with existing Chinese environmental regulations.

ECE Hazardous Waste Number: Not a RCRA hazardous waste.

Section 14. Transport Information

The shipping classifications in this Section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.							
P.R.C Department of Transportation Ground :							
Proper shipping name	Hazard class or division	Identification number	Packing group:				
Unrestricted	None	None	None				
International Air Transportation (ICAO/IATA):							
Proper shipping name	Hazard class or division	Identification number	Packing group:				
Unrestricted	None	None	None				
Water Transportation (IMO/IMDG):							
Proper shipping name	Hazard class or division	Identification number	Packing group:				
Unrestricted	None	None	None				

Section 15. Regulatory Information

P.R.CRegulatory Information

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

Page 6 of 6

Section 16. Other Information

Disclaimer: The data contained herein are furnished for information only and was obtained from sources considered to be reliable, regarding its correctness or suitability for consumers intended use and/or application, Shizhiyu company does not assume responsibility for any results obtained by persons over whose methods Shizhiyu company has no control. It is the user's responsibility to determine the suitability of Shizhiyu company's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Shizhiyu company's products. In light of the foregoing, Shizhiyu company specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Shizhiyu company's products. Shizhiyu company further disclaims any liability for consequential or incidental damages of any kind, including lost profits.