# Material Safety Data Sheet Builder Gel in Bottle (HEMA&TMPTA-FREE)

Page 1 of 6

#### Section 1. Identification

Product Name	Bulider Gel in Bottle (HEMA & TMPTA - Free)
Chemical Name	SOAK OFF GEL BUILDER GEL IN BOTTLE
Product Use	Nails
Manufacture	Shizhiyu (Guangzhou) Biotechnology Co., Ltd.
Address	A12-1, Youyuan Changban Innovation U-Park, 21 Changyuan Road, Tianhe District,Guangzhou,China 510650
Information Contacts	+86-18122356510
Emergency Phone Nunbers	+86-18122356510

## Section 2. Composition / information on ingredients

Components	CAS #	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	Content %
Polyurethane acrylate	68987-79-1	N/A	Polyurethane acrylate	N/E	N/E	Not listed	35-42%
2-Propenoic acid, 2- methyl-, 2-methylpropyl ester, polymer with ethenylbenzene and 2- ethylhexyl 2-pr	68240-06-2	N/A	2-Propenoic acid, 2- methyl-, 2- methylpropyl ester, polymer with ethenylbenzene and 2- ethylhexyl 2-pr	N/E	N/E	Not listed	32-40%
4-Acryloylmorpholine	5117-12-4	418-140-1	4-Acryloylmorpholine	N/E	N/E	Not listed	5-10%
Isobornyl acrylate	5888-33-5	227-561-6	Isobornyl acrylate	N/E	N/E	Not listed	4-8%
Isobornyl 2-methyl-2- propenoate	28854-39-9	N/A	Isobornyl 2-methyl-2- propenoate	N/E	N/E	Not listed	15-20%
1-Hydroxycyclohexyl phenyl ketone	947-19-3	213-426-9	1-Hydroxycyclohexyl phenyl ketone	N/E	N/E	Not listed	1-3%
Ethyl (2,4,6- trimethylbenzoyl) phenylphosphinate	84434-11-7	282-810-6	Ethyl (2,4,6- trimethylbenzoyl) phenylphosphinate	N/E	N/E	Not listed	1-3%
Silicon dioxide	7631-86-9	231-545-4	Silica	N/E	N/E	Not listed	2-5%
Dimethicone	9016-00-6	226-171-3	Dimethicone	N/E	N/E	Not listed	0.5-1%

N/E - None Established

N/R - Not Reviewed

N/DA - No Data Available

N/A - Not Applicable

# Material Safety Data Sheet

# **Builder Gel in Bottle (HEMA&TMPTA-FREE)**

Page 2 of 6

## Section 3. Hazards Identification

	WAR	NING					
	This information may be based on findings from related or similar materials.						
HARMFUL IF SWAL	LOWED, ABSORBED THROUGH	SKIN OR INHALED. DO NOT SPRAY. DO NOT HEAT.					
MAY CAUSE ALLE	RGIC SKIN REACTION. CAUSES	SEYE, SKINAND RESPIRATORY TRACT IRRITATION					
Physical state: liquid	HEALTH: 1*	Color: Various colors					
Odor: Odorless	PHYSICAL HAZARD: 1	Personal Protection: See Section 8					
Relevant routes of exposure	: Skin, Inhalation, Eyes						
Potential Health Effects							
Skin Contact: Contact skin	n will cause irritation.						
Eye Contact: Contact with	eyes will cause irritation.						

### **Section 4. First Aid Measures**

Inhalation	Remove to fresh air. If symptoms develop and persist, get medical attention.
Skin Contact	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms occur.
Eye Contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Ingestion	Do not induce vomiting. Keep individual calm. Get medical attention immediately.

## Section 5. Fire-fighting Measures

Flash point: >100°C/2	12°F
Auto ignition temperat	ture: Not available
Flammable/Explosive	limits-lower %: Not available
Flammable/Explosive	limits-upper %: Not available
Extinguishing media:	Foam, dry chemical or carbon dioxide.
Special fire fighting p	rocedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
Unusual fire or explos rupture of storage cont	ion hazards: Uncontrolled polymerization may occur at high temperatures resulting in explosions or tainers.
Hazardous combustion	n products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes.

## Material Safety Data Sheet

## **Builder Gel in Bottle (HEMA&TMPTA-FREE)**

#### Page 3 of 6

#### Section 6. Accidental Release Measures

Clean-up Methods: Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

Environmental Protection : Prevent diffusion, Prevent entry into the sewage system or open waters.

#### Section 7. Handling and Storage

Handing : Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

Storage : For safe storage, store at or below30°C (86°F). Product is extremely light sensitive. If exposed to natural light, LED,

UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials. Keep this materials away from heat, sparks, and open flame. Keep containers tightly closed

when not in use.

Incompatible products: Refer to Section 10.

#### Section 8. Exposure Controls / Personal Protection

Engineering Controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory Protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin Protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/Face Protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

#### Section 9. Physical and Chemical Properties

Appearance	color	Odor	Odor Threshold	РН	Melting point/freezing point
liquid	Various colors	Odorless	N/A	N/A (Insoluble)	N/A
Boiling Point	Flash point	Evaporation rate	Flammability (solid, gas)	Upper/lower flammability or explosive limits;	Vapour pressure
N/A	>100 °C	N/A	N/A	N/A	< 1 mmHg @20°C

# Material Safety Data Sheet Builder Gel in Bottle (HEMA&TMPTA-FREE)

## Page 4 of 6

Vapour density	Solubility In Water	Relative density	Solubility(ies)	Partition coefficient: n- octanol/water;	Auto-ignition temperature
N/A	Insoluble	(H <sub>2</sub> O=1): 1.0-1.15	Insoluble in the following materials: cold water and hot water	N/A	N/A
Decomposition	n Temperature	Viscosity	Explosive pro	perties	Oxidising properties
N/A 1500~2000mpa @30°C		1500~2000mpa.s @30℃	N/A		N/A
Flash Point		Flammable Limit ( vol %)		Auto-ignition Temperature	
>100°C/212°F		N/DA		N/DA	

## Section 10. Stability and Reactivity

Stability: S	table under normal conditions of storage and use
	Avoid : Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination tible materials.
Hazardous Pol that could resu	ymerization: May occur Uncontrolled polymerization may cause rapid evolution of heat and increased pressure It in violent rupture of sealed storage vessels or containers.
Incompatibilit	y: Peroxides, oxidizing a gents.
Hazardous Dec	composition Products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

## Section 11. Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity		Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye	
No info available	No info available		No info available	No info available	No info available	
Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.						
Sensitization Mutagenicity Sub-chronic Toxicity					Toxicity	
N/DA		N/DA		N/DA		

## Material Safety Data Sheet

## **Builder Gel in Bottle (HEMA&TMPTA-FREE)**

Page 5 of 6

## Section12. Ecological Information

Ecotoxicological Information					
Acute Toxicity to Fish	Acute Toxicity to		Acute Toxicity to	Bioconcentration	Toxicity to Sewage
No Information	No Information Available		No Information	No Information	No Information Available
Chemical Fate Information					
Biodegradability No Information Available					
Chemical Oxygen Demand No Information Available					
To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated. Do not					
allow to enter drinking water supplies, wastewater, or soil.					

## Section 13. Disposal Considerations

Recommended Method of Disposal: Disposal should be in accordance with existing Chinese environmental regulations.

ECE Hazardous Waste Number: Not a RCRA hazardous waste.

## Section 14. Transport Information

The shipping classifications in classification may be different	this Section are for non-bulk packa	ging only (unless otherwise specif	ied). Shipping			
P.R.C Department of Transpo						
Proper shipping name	Hazard class or division	Identification number	Packing group:			
Unrestricted None None None						
International Air Transportation	n (ICAO/IATA):					
Proper shipping name	Hazard class or division	Identification number	Packing group:			
Unrestricted None None None						
Water Transportation (IMO/IM	DG):					
Proper shipping name	Hazard class or division	Identification number	Packing group:			
Unrestricted	None	None	None			

## Section 15. Regulatory Information

P.R.CRegulatory Information

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

# Material Safety Data Sheet Builder Gel in Bottle (HEMA&TMPTA-FREE)

Page 6 of 6

#### Section 16. Other Information

**Disclaimer:** The data contained herein are furnished for information only and was obtained from sources considered to be reliable, regarding its correctness or suitability for consumers intended use and/or application, Shizhiyu company does not assume responsibility for any results obtained by persons over whose methods Shizhiyu company has no control. It is the user's responsibility to determine the suitability of Shizhiyu company's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Shizhiyu company's products. In light of the foregoing, Shizhiyu company specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Shizhiyu company's products. Shizhiyu company further disclaims any liability for consequential or incidental damages of any kind, including lost profits.