



## The Little Pink London

# The Little Pink Bottle uv/led gel polish MSDS(Material Safety Data Sheet)

## 1. Company Information

Company: Alexa Pro Nail Art Systems

Address: 8 Brendon court, Milton Keynes, MK4 1DH

Email: alexa@alexanails.co.uk Tel: 00447828104582

## 2. Product Information

Product model: The little pink bottle Product classification :Uv curing acrylic resin adhesive Product Application :Combine with base and top coat, use for nail colouring.

## 3. Composition/Information on Ingredients

CHEMICAL NAME	CAS NO.	PERCENTAGE %
ACRYLATES COPOLYMER		
	25212-88-8	60-70
2-Hydroxyethyl methacrylate (HEMA)	868-77-9	10-20
TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE	75980-60-8	1-5
May Contain [+/-]:		
CI 45380	17372-87-1	
CI 17200	3567-66-6	
CI 15850	5858-81-1	
CI 77491	1309-37-1	

CI 15985	2783-94-0	
CI 77492	51274-00-1	
CI 77007	57455-37-5	
CI 77510	14038-43-8	

CI 77742	10101-66-3
CI 77289	1308-14-1
CI 77499	12227-89-3
CI 77891	13463-67-7
CI 77820	7440-22-4

## 4. Psicochemical Poperty

Physical state : clear liquid

Colour: yellowish

Odor acrylate resin

#### PH:7

Density(g/m3): 1.05

#### 5. Hazards Identification

The products contain acrylic resin may cause skin, eye and respiratory tract Mild irritation Accidental ingestion :Harmful for health

Accidental into the eye: Stimulated Inhalation: at the first beginning and long time short distance contact may Stimulate the

Respiratory tract.

Skin contact :skin contact excess or repeating with glue , may stimulate skin , few person has Skin allergy.

Sight contact: first contact or long time short distance contact may stimulate eyes

#### 6. Rescue measures

Inhalation: remove to fresh air.

Skin contact: immediately flush skin with cleaning fluid or soap, stop contacting and get Medical attention when cause skin allergy.

Eye contact: immediately flush eyes with plenty of water for 15 minutes. Get medical

clear liquid yellowish acrylate resin

Attention when still feels uncomfortable. Accidental ingestion: Get immediate medical attention.

#### 7. Handling and storage

Handling: use in the area with appropriate exhaust ventilation. Do not use in high temperature, frozen, sparks and flame condition. Prevent directly contact with skin and clothing.

Storage: store in cool and dry condition. Do not fall the poured out gel back to the original container.

Quality guarantee period: 12 months.

#### 8. Personal protection

Accidental ingestion protection: paste mark like "Industrial Materials" or "Fasting" or other on the obvious place of the package.

Skin and eyes protection: use gel in the ventilation and spacious environment. Suggest using disposable gloves or fingering cot for direct user. Suggest using with automatic machine to reduce body contacting.

#### 9. Stability and Activity

Stability: may affect the stability in environment that exposure to the light, high temperature.

Storage temperature: 8 - 28 °C Hazardous decomposition products: Oxides of carbon. Oxides of sulphur. Oxides of nitrogen.

Oxides of phosphorus. Other organic gas Incompatibility: Strong oxidizing agents. Strong Acids & Alkaline.

#### **10.** Toxicological information

This product is free solvent, carcinogenic material. The general damage is contact stimulation; excessive or repeated contact may stimulate skin; at the first beginning and long time short distance contact may stimulate eyes. The main irritant is acrylic esters.

This product is a low toxicity, LD50>3000mg/kg

## **11. Ecological information**

Avoid directly into the pool of water or sewer before curing. It is typical polymer after curing, which is no direct damage to environment.

### 12. Fire prevention measure

Flash point : 105°C Auto ignition temperature: not available Flammable/blast minimum levels: not available Flammable blast maximum levels: not available Fire extinguishing way: foam fire extinguisher and dry-ice fire extinguishers Special fire prevention measures: none

Unusual fire or explosion: uncontrollable polymerization at high temperature can cause explosion or crack of the bottle.

Harmful products of combustion: Oxides of carbon. Oxides of sulphur. Oxides of nitrogen. Oxides of phosphorus. Other irritating organic gas.

#### 13. Handling guidelines

After use, the rest of the products of bottles, carton should be handled in accordance with the relevant management.

Due to this product with slight harm to environment before and after using, so there is no strict requirements' processing.

#### 14. Transportation

This products does not contain the international confine of dangerous substances

#### 15. Law

This product applies with regulations; do not belong to the security permission production products.